

AEL Radiator Valve

Collection



Available
on AutoCAD

AEL
HEATING SOLUTIONS

The Finishing Touch

This unique AEL radiator valve collection includes over forty styles of Chrome, Brass, Nickel, or Antique finish, Thermostatic, Wheelhead and Lockshield valve sets available from stock. Probably the largest selection available in the UK.

Thermostatic Valve Sets



TA8AB15
Antique Brass



TA8AC15
Antique Copper



TA8BN15
Brushed Nickel



TA8C15
Chrome



TA8NB15
Nickle Black



TS9AB15
Antique Brass



TS9C15
Chrome



TS9BN15
Brushed Nickel

When ordering valve sets please check that the correct product codes are used, preferably with a description.

Valve control required.....Thermostatic
Valve body style.....Angled (Ref 8) or Straight (Ref 9)
Colour Finish.....AB antique brass, AC antique copper, BN brushed nickel, C chrome,
NB nickel black
Pipe connection.....15mm copper, 22mm copper, 1/2" Screwed, 3/4" Screwed

Example of order code:

T A8 AB 15 (Thermostatic, angled body, antique brass, 15mm copper connections)

NOTE: The valves shown above are 15mm copper connections, the body shape may change slightly to accommodate larger pipe diameters or screwed pipe, please check availability of preferred colour and style combinations and if a bi-directional TRV is required before ordering

Traditional thermostatic valve sets



TA17PB15
Polished Brass



TA17AB15
Antique Brass



TA17BN15
Brushed Nickel



TA17C15
Chrome



TA18C15
Chrome



TA18AB15
Antique Brass



TA17AC15
Antique Copper



TA17NB15
Nickel Black

When ordering valve sets please check that the correct product codes are used, preferably with a description.

Valve control required.....Thermostatic

Valve body style.....Angled (Ref 17 or 18)

Colour Finish.....**AB** antique brass, **PB** polished brass, **AC** antique copper, **BN** brushed nickel, **C** chrome, **NB** nickel black

Pipe connection.....15mm copper, 22mm copper, 1/2" Screwed, 3/4" Screwed

Example of order code:

T A17 AB 15 (Thermostatic, angled body, antique brass, 15mm copper connections)

NOTE: The valves shown above are 15mm copper connections, the body shape may change slightly to accommodate larger pipe diameters or screwed pipe, please check availability of preferred colour and style combinations and if a bi-directional TRV is required before ordering

Rear entry and exit valve sets for back access from wall



TRE19PB15
Polished Brass



TRE19AB15
Antique Brass



TRE19BN15
Brushed Nickel



TRE19C15
Chrome



TRE19AC15
Antique Copper



TRE20AB15
Antique Brass



TRE21AB15
Antique Brass



MRE22C15
Chrome

When ordering valve sets please check that the correct product codes are used, preferably with a description.

Valve control required.....Thermostatic or Manual

Valve body style.....Rear Entry (Ref 19,20,21,22)

Colour Finish.....AB antique brass, PB polished brass, AC antique copper, BN brushed nickel, C chrome, NB nickel black

Pipe connection.....15mm copper, 22mm copper, 1/2" Screwed, 3/4" Screwed

Example of order code:

RE19 AB 15 (Thermostatic, angled body, antique brass, 15mm copper connections)

NOTE: The valves shown above are 15mm copper connections, the body shape may change slightly to accommodate larger pipe diameters or screwed pipe, please check availability of preferred colour and style combinations and if a bi-directional TRV is required before ordering.

*Please specify if the flow into the radiator (TRV) is on left or right side of the radiator

Manual Valve Sets



MA10AB15
Antique Brass



MS11AC15
Antique Copper



MA13AB15
Antique Brass



MA13C15
Chrome



MA14EC15
Chrome
MA14EG15
Gold



MA12C15
Chrome x2



MA15FC15
Chrome
MA15FG15
Gold




MA16B15
Brass

When ordering valve sets please check that the correct product codes are used, preferably with a description.
 Valve control required.....Manual (Bi-directional)
 Valve body style.....Angled (Ref 10,12,13,14,15,16) or Straight (Ref 11)
 Colour Finish.....AB antique brass, AC antique copper, BN brushed nickel, C chrome,
 NB nickel black, B brass
 Pipe connection.....15mm copper, 22mm copper, 1/2" Screwed, 3/4" Screwed

Example of order code:
MA 10 AB 15 (Manual, angled body, antique brass, 15mm copper connections)


NOTE: The valves shown above are 15mm copper connections, the body shape may change slightly to accommodate larger pipe diameters or screwed pipe, please check availability of preferred colour/style combinations before ordering

Variations of Style



When ordering valve sets please check that the correct product codes are used, preferably with a description.
 Valve control required.....Thermostatic or Manual
 Valve body style.....Angled (23) or Straight (24)
 Colour Finish.....AB antique brass, AC antique copper, BN brushed nickel, C chrome, NB nickel black, PB polished brass
 Pipe connection.....15mm copper, 1/2" Screwed (with adaptor), 3/4" Screwed (with adaptor)

Example of order code:
TA 23 BN 15 (Thermostatic, angled twin entry, brushed nickel, 15mm copper connections)
TS 24 AB 15 (Thermostatic, straight entry, antique brass, 15mm copper connections)
NOTE: Flow must pass through the TRV connection, please specify right or left hand flow in.
 Available in all colours



Extension pipes and shrouds in matching finishes

The Extension Pipe Kits shown above contain 2 pipes & 2 shrouds to provide a professional finish to both valves and radiators, covering the access holes in the floor surfaces.

CD and AutoCAD

AEL radiators and valves are now available in detailed CAD and Autocad formats on CD or online via www.aelheating.com

©All photography and specifications copyrights of AEL Heating Solutions No unauthorised reproduction. AEL reserve the right to alter designs and specifications without prior notice

AEL
HEATING SOLUTIONS

HEAD OFFICE: 4 Berkeley Court,
Manor Park,
Runcorn, Cheshire, WA7 1TQ
Tel: 01928 579068
Fax: 01928 579523
e-mail: sales@aelheating.com



Plate Heat Exchanger Packages

Gas fired Condensing Boilers

Cast Iron Sectional Boilers

High Output Aluminium Radiators

Tubular Steel Radiators

Designer Bathroom Radiators

Corgi Approved Engineers